


PRESS RELEASE

Order and disorder in crystalline ice explained

A new theoretical model enlightens the structure and the electrical properties of pure and doped ice



Trieste, 29 December 2020

A fascinating substance with unique properties, ice has intrigued humans since time immemorial. Unlike most other materials, ice at very low temperature is not as ordered as it could be. A collaboration between the Scuola Internazionale Superiore di Studi Avanzati (SISSA), the Abdus Salam International Centre for Theoretical Physics (ICTP), the Institute of Physics Rosario (IFIR-UNR), with the support of the Istituto Officina dei Materiali of the Italian National Research Council (CNR-IOM), made new theoretical inroads on the reasons why this happens and on the way in which some of the missing order can be recovered. In that ordered state the team of scientists have described a relatively obscure and yet fundamental property of very low temperature ice, ferroelectricity. The results, published in PNAS, are likely to extend to ice surfaces, a possibility that could be relevant to the agglomeration of ice particles in interstellar space.



The Abdus Salam
**International Centre
for Theoretical Physics**



“In an ideally ordered piece of ice the hydrogen atoms of each water molecule should point in the same direction, like soldiers in a platoon looking in front of them,” explains Alessandro Laio, physicist of SISSA and ICTP. “If that was the case, ice would exhibit a macroscopic electric polarization – it would be ferroelectric. Instead, water molecules in ice, even at very low temperature, behave like unruly soldiers, and all look in different directions.”

This anomalous behaviour, discovered experimentally in the 1930s, was immediately and famously explained by Linus Pauling: the lack of discipline is an effect of the ‘ice rule’ constraint – every oxygen atom should at any moment possess two and only two protons to make it H₂O. The difficult kinetics created by that constraint causes the ordering process to become infinitely slow, as in a platoon where each soldier had four neighbours and had to keep two hands on the shoulders of two of them.

“Were it not for impurities or defects, which turned out to play a revealing role, one would still today not know whether proton order and ferroelectricity of bulk crystalline ice is a real possibility or a figment of the imagination, since neither experiments nor simulations could overcome the ice rule-generated kinetic slowdown,” points out Erio Tosatti, physicist of SISSA, ICTP and CNR-IOM Democritos.

Impurities, such as one KOH replacing H₂O, are in fact known to allow the ordering process to nucleate and ice to turn ordered and ferroelectric at very low temperature, although only partly and sluggishly. Once again, the ‘ice rule’ was suspected to be behind the sluggishness of this process, but exactly how that worked was not really known.

Together with Jorge Lasave and Sergio Koval of the IFIR-UNR in Argentina, both of them ICTP associate members, Alessandro Laio and Erio Tosatti designed a theoretical model and a strategy to explain the behaviour of both pure and doped ice.

“According to this model,” the scientists explain, “once an impurity is introduced inside an initial non-equilibrium low temperature disordered state, it acts as a seed for the ordered phase, but in a peculiar manner: not all the ‘soldiers’ around the impurity start looking in the correct direction, but only those in front or behind the impurity. Thus, at the end of the process only a string of soldiers inside the platoon will become ordered.” This highly atypical process has many of the characteristics that can explain the sluggish and incomplete onset of ferroelectric order in real doped ice.

“Although the study is restricted for now to bulk ice,” Tosatti and Laio conclude, “the mechanism highlighted is likely to extend to ice surfaces, where strings of ordered protons could nucleate at low temperatures, explaining a long known small amount of local ferroelectric polarization, a phenomenon also mentioned as possibly relevant to the agglomeration of ice particles in interstellar space.”



The Abdus Salam
**International Centre
for Theoretical Physics**



USEFUL LINKS

Paper: <https://www.pnas.org/content/pnas/118/1/e2018837118.full.pdf>

IMAGE

Credits: Lasave, Koval, Laio, Tosatti
"String of proton-ordered water molecules caught in motion"

CONTACTS**SISSA**

Chiara Saviane

→ saviane@sissa.it

T +39 040 3787230

M +39 333 7675962

Marina D'Alessandro

→ mdalessa@sissa.it

T +39 040 3787231

M +39 349 2885935

ICTP

Mary Ann Williams

→ mwilliams@ictp.it

T +39 040 2240 603

Marina Menga

→ mmenga@ictp.it

T +39 3276571184